

## SAFETY DATA SHEET Cutan Complete Gel Hand Sanitiser

According to Regulation (EC) No 1907/2006, Annex II, as amended.

SECTION 1: Identification of t	he substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Cutan Complete Gel Hand Sanitiser
Product number	CAG392, CAG50ML, CAG400P
1.2. Relevant identified uses of	of the substance or mixture and uses advised against
Identified uses	PT1 Human Hygiene Biocidal Product For full details regarding recommended uses please refer to the product label.
1.3. Details of the supplier of t	the safety data sheet
Supplier	SC Johnson Professional Ltd Denby Hall Way Denby Derbyshire DE5 8JZ +44 (0) 1773 855100 sdsuk@scj.com
1.4. Emergency telephone nu	mber
Emergency telephone	National Poisons Information Service (UK) 0344 8920111 (Health Professionals only) National Poisons Information Centre (Eire) 01-8092566/8379964
SECTION 2: Hazards identific	cation
2.1. Classification of the subst	tance or mixture
Classification (EC 1272/2008)	<u>)</u>
Physical hazards	Flam. Liq. 2 - H225
Health hazards	Eye Irrit. 2 - H319
Environmental hazards	Not Classified
2.2. Label elements	
Hazard pictograms	
Signal word	Danger
Hazard statements	H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

Precautionary statements	<ul> <li>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P337+P313 If eye irritation persists: Get medical advice/ attention.</li> <li>P404 Store in a closed container.</li> <li>P501 Dispose of contents/ container in accordance with local regulations.</li> </ul>
Supplemental label information	BPR001 Use biocides safely. Always read the label and product information before use.
Supplementary precautionary statements	P233 Keep container tightly closed.

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

### SECTION 3: Composition/information on ingredients

3.2. Mixtures		
ETHANOL		60-100%
CAS number: 64-17-5	EC number: 200-578-6	REACH registration number: 01- 2119457610-43-XXXX
Classification		
Flam. Liq. 2 - H225		
Eye Irrit. 2 - H319		
GLYCERIN		1-10%
GLYCERIN CAS number: 56-81-5	EC number: 200-289-5	1-10% REACH registration number: 01-

Not Classified

The full text for all hazard statements is displayed in Section 16.

### SECTION 4: First aid measures

4.1. Description of first aid measures
--

General information	Get medical attention if any discomfort continues.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
Ingestion	DO NOT induce vomiting. Get medical attention immediately. Never give anything by mouth to an unconscious person.
Skin contact	Not relevant.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention promptly if symptoms occur after washing.
4.2. Most important symptom	s and effects, both acute and delayed
Inhalation	No specific symptoms known.
Ingestion	May cause nausea, headache, dizziness and intoxication.

Skin contact	None known.	
Eye contact	This product is moderately irritating.	
4.3. Indication of any immedia	te medical attention and special treatment needed	
Notes for the doctor	No specific recommendations.	
SECTION 5: Firefighting meas	Sures	
5.1. Extinguishing media		
Suitable extinguishing media	Extinguish with the following media: Water spray, fog or mist. Foam, carbon dioxide or dry powder. Dry chemicals, sand, dolomite etc.	
5.2. Special hazards arising from the substance or mixture		
Specific hazards	Highly flammable liquid and vapour. May form explosive mixture with air at very high concentration.	
Hazardous combustion products	Oxides of carbon.	
5.3. Advice for firefighters		
Protective actions during firefighting	Fight fire from safe distance or protected location.	
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.	
SECTION 6: Accidental release	se measures	
6.1. Personal precautions, pro	stective equipment and emergency procedures	
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.	
6.2. Environmental precaution	S	
Environmental precautions	Do not discharge into drains or watercourses or onto the ground. Contain spillage with sand, earth or other suitable non-combustible material.	
6.3. Methods and material for	containment and cleaning up	
Methods for cleaning up	Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into containers. Wash thoroughly after dealing with a spillage.	
6.4. Reference to other section	ns	
Reference to other sections	For personal protection, see Section 8.	
SECTION 7: Handling and sto	rage	
7.1. Precautions for safe hand	ling	
Usage precautions	Keep away from heat, sparks and open flame. Keep away from heat, sparks and open flame. Avoid contact with eyes. Avoid contact with eyes. Provide adequate general and local exhaust ventilation. Provide adequate general and local exhaust ventilation.	
7.2. Conditions for safe storag	e, including any incompatibilities	
Storage precautions	Store in tightly closed original container in a dry, cool and well-ventilated place. Keep away from heat, sparks and open flame. Store at temperatures between 0°C and 30°C. Take precautionary measures against static discharges.	
Storage class	Flammable liquid storage.	

#### 7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

### SECTION 8: Exposure controls/Personal protection 8.1. Control parameters Occupational exposure limits **ETHANOL** Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m<sup>3</sup> **GLYCERIN** Long-term exposure limit (8-hour TWA): WEL 10 mg/m<sup>3</sup> mist WEL = Workplace Exposure Limit Ingredient comments WEL = Workplace Exposure Limits ETHANOL (CAS: 64-17-5) DNEL Professional - Inhalation; local effects: 1900 mg/m<sup>3</sup> Professional - Dermal; Long term systemic effects: 343 mg/kg/day Professional - Inhalation; Long term systemic effects: 950 mg/m<sup>3</sup> Consumer - Inhalation; local effects: 950 mg/m<sup>3</sup> Consumer - Dermal; Long term systemic effects: 206 mg/kg/day Consumer - Inhalation; Long term systemic effects: 114 mg/m<sup>3</sup> Consumer - Oral; Long term systemic effects: 87 mg/kg/day **PNEC** - marine water; 0.79 mg/l - Fresh water; 0.96 mg/l - Intermittent release; 2.75 mg/l - STP; 580 mg/l - Sediment (Freshwater); 3.46 mg/kg - Sediment (Marinewater); 2.9 mg/l - Soil; 0.63 mg/kg **GLYCERIN (CAS: 56-81-5)** DNEL Workers - Inhalation; Long term local effects: 56 mg/m<sup>3</sup> General population - Inhalation; Long term local effects: 33 mg/m<sup>3</sup> General population - Oral; Long term systemic effects: 229 mg/kg/day PNEC Fresh water; 0.885 mg/l marine water; 0.088 mg/l STP; 1000 mg/l Sediment (Freshwater); 3.3 mg/kg Sediment (Marinewater); 0.33 mg/kg Soil; 0.141 mg/kg 8.2. Exposure controls

### Protective equipment



Appropriate engineering controls

Not relevant.

Eye/face protection	Not required normally but wear eye protection if you are conducting an operation where there is a risk of this product getting in the eyes. Personal protective equipment for eye and face protection should comply with European Standard EN166.
Hand protection	Not relevant.
Respiratory protection	Not relevant.
SECTION 9: Physical and chemical properties	
9.1. Information on basic physical and chemical properties	
Appearance	Viscous liquid.
Colour	Colourless to pale yellow.
Odour	Alcoholic.
Odour threshold	Not determined.
рН	pH (concentrated solution): 8.1
Melting point	<20°C
Initial boiling point and range	80 -90°C @
Flash point	15.3°C Pensky-Martens closed cup. 20°C IP523 B
Evaporation rate	Not determined.
Upper/lower flammability or explosive limits	Not determined. Lower flammable/explosive limit: 3.5 % (V) Ethanol Upper flammable/explosive limit: 15 % (V) Ethanol
Vapour pressure	300 hPa @ 55°C
Vapour density	Not determined.
Relative density	0.845 @ 20°C
Solubility(ies)	Soluble in water.
Partition coefficient	Not determined.
Auto-ignition temperature	475 C°C
Decomposition Temperature	Not determined.
Viscosity	3000-7000 mPa s @ 20°C
Explosive properties	Not determined.
Oxidising properties	Does not meet the criteria for classification as oxidising.
9.2. Other information	
Other information	None.
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	
Stability	No particular stability concerns.
10.3. Possibility of hazardous	reactions

Possibility of hazardous reactions	Not known.		
10.4. Conditions to avoid			
Conditions to avoid	Avoid heat, flames and other sources of ignition.		
10.5. Incompatible materials			
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.		
10.6. Hazardous decomposition	10.6. Hazardous decomposition products		
Hazardous decomposition products	Oxides of carbon.		
SECTION 11: Toxicological in	formation		
11.1. Information on toxicolog	ical effects		
Acute toxicity - oral Notes (oral LD∞)	Based on available data the classification criteria are not met.		
Acute toxicity - dermal Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.		
Acute toxicity - inhalation Notes (inhalation LC <sub>50</sub> )	Based on available data the classification criteria are not met.		
Skin corrosion/irritation Animal data	Based on available data the classification criteria are not met.		
Respiratory sensitisation Respiratory sensitisation	Based on available data the classification criteria are not met.		
Skin sensitisation Skin sensitisation	Based on available data the classification criteria are not met.		
Germ cell mutagenicity Genotoxicity - in vivo	Does not contain any substances known to be mutagenic.		
Carcinogenicity Carcinogenicity	Does not contain any substances known to be carcinogenic.		
Reproductive toxicity Reproductive toxicity - development	Does not contain any substances known to be toxic to reproduction.		
Specific target organ toxicity - single exposure			
STOT - single exposure	No information available.		
Specific target organ toxicity -			
STOT - repeated exposure	No information available.		
Aspiration hazard Aspiration hazard	Based on available data the classification criteria are not met.		
General information	No specific health hazards known.		
Inhalation	No specific health hazards known.		

Ingestion	May cause nausea, headache, dizziness and intoxication.
Skin contact	Skin irritation should not occur when used as recommended.
Eye contact	Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain.

### Toxicological information on ingredients.

### ETHANOL

	Acute toxicity - oral	
	Acute toxicity oral (LD <sub>50</sub> mg/kg)	10,470.0
	Species	Rat
	ATE oral (mg/kg)	10,470.0
	Acute toxicity - dermal	
	Acute toxicity dermal (LD₅₀ mg/kg)	20,000.0
	Species	Rabbit
	Acute toxicity - inhalation	
	Acute toxicity inhalation (LC₅₀ vapours mg/l)	117.0
	Species	Rat
	ATE inhalation (vapours mg/l)	117.0
	Skin corrosion/irritation	
	Animal data	Oedema score: Very slight oedema - barely perceptible (1).
SECTION 1	Animal data 2: Ecological information	Oedema score: Very slight oedema - barely perceptible (1).
SECTION 1 Ecotoxicity	2: Ecological information The prod	Oedema score: Very slight oedema - barely perceptible (1).
	2: Ecological information The prod accordar	luct does not meet the requirement for classification as an environmental hazard in
Ecotoxicity	2: Ecological information The prod accordar	luct does not meet the requirement for classification as an environmental hazard in
Ecotoxicity <u>12.1. Toxicit</u> Toxicity	2: Ecological information The prod accordar	luct does not meet the requirement for classification as an environmental hazard in nce with directive 1999/45/EEC
Ecotoxicity <u>12.1. Toxicit</u> Toxicity	2: Ecological information The prod accordar ty The prod	luct does not meet the requirement for classification as an environmental hazard in nce with directive 1999/45/EEC
Ecotoxicity <u>12.1. Toxicit</u> Toxicity	2: Ecological information The prod accordar ty The prod	duct does not meet the requirement for classification as an environmental hazard in the with directive 1999/45/EEC
Ecotoxicity <u>12.1. Toxicit</u> Toxicity	2: Ecological information The prod accordar t <u>y</u> The prod nformation on ingredients.	duct does not meet the requirement for classification as an environmental hazard in the with directive 1999/45/EEC
Ecotoxicity <u>12.1. Toxicit</u> Toxicity	2: Ecological information The prod accordan ty The prod nformation on ingredients. <u>Acute aquatic toxicity</u>	Auct does not meet the requirement for classification as an environmental hazard in noce with directive 1999/45/EEC Auct is not expected to be toxic to aquatic organisms. <u>ETHANOL</u> LC50, 96 hours: 15300 mg/l, Pimephales promelas (Fat-head Minnow)

### 12.2. Persistence and degradability

Persistence and degradability	The product is biodegradable.	
12.3. Bioaccumulative potential		
Bioaccumulative potential	No data available on bioaccumulation.	
Partition coefficient	Not determined.	
12.4. Mobility in soil		
Mobility	The product is soluble in water.	
12.5. Results of PBT and vPvE	3 assessment	
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.	
12.6. Other adverse effects		
Other adverse effects	None known.	
SECTION 13: Disposal conside	erations	
13.1. Waste treatment method	S	
General information	When handling waste, the safety precautions applying to handling of the product should be considered.	
Disposal methods	This material and its container must be disposed of as hazardous waste. Dispose of waste product or used containers in accordance with local regulations Reuse or recycle products wherever possible.	
SECTION 14: Transport inform	nation	
14.1. UN number		
UN No. (ADR/RID)	1170	
UN No. (IMDG)	1170	
UN No. (ICAO)	1170	
UN No. (ADN)	1170	
14.2. UN proper shipping name	9	
Proper shipping name (ADR/RID)	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	
Proper shipping name (IMDG)	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	
Proper shipping name (ICAO)	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	
Proper shipping name (ADN)	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	
14.3. Transport hazard class(e	<u>s)</u>	
ADR/RID class	3	
ADR/RID classification code	F1	
ADR/RID label	3	
IMDG class	3	
ICAO class/division	3	
ADN class	3	

### Transport labels



14.4. Packing group			
ADR/RID packing group	II		
IMDG packing group	II		
ICAO packing group	II		
ADN packing group	II		
14.5. Environmental hazards	14.5. Environmental hazards		
Environmentally hazardous substance/marine pollutant No.			
14.6. Special precautions for user			
EmS	F-E, S-D		
ADR transport category	2		
Emergency Action Code	•2YE		
Hazard Identification Number (ADR/RID)	33		
Tunnel restriction code	(D/E)		
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code			

SECTION 15: Regulatory information

EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Commission Directive 91/322/EEC of 29 May 1991 on establishing indicative limit values by implementing Council Directive 80/1107/EEC on the protection of workers from the risks related to exposure to chemical, physical and biological agents at work. Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended). REGULATION (EU) No 528/2012 (as amended) concerning the making available on the
	REGULATION (EU) No 528/2012 (as amended) concerning the making available on the market and use of biocidal products.

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

### SECTION 16: Other information

**General information** 

Use biocides safely. Always read the label and product information before use.

Key literature references and sources for data	Where Exposure Scenarios for the substances listed in Section 3 are available they have been assessed for the uses identified in this data sheet or on the product label and the appropriate relevant information is incorporated into this Safety Data Sheet.
Revision comments	Revision of information NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	11/12/2018
Revision	10
Supersedes date	25/04/2018
SDS number	21689
Hazard statements in full	H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.
Notes for Hazard Statements in Full	The full text for Hazard Statements in section 16 relates to the reference numbers in sections 2 and 3 and not necessarily the finished product classification.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.