

# Safety Data Sheet

According to Regulation (EC) No 1907/2006

# Suma Star D1

Revision: 2024-08-07

Version: 05.4

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name: Suma Star D1

UFI: WNC4-G048-H00T-US5Q

1.2 Relevant identified uses of the substance or mixture and uses advised against Product use: Dish wash product. For professional use only. Uses other than those identified are not recommended.

Uses advised against:

SWED - Sector-specific worker exposure description : AISE\_SWED\_PW\_8a\_2 AISE\_SWED\_PW\_8b\_2 AISE\_SWED\_PW\_19\_1

1.3 Details of the supplier of the safety data sheet Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssenbroeksedijk 2, 3542DN Utrecht], The Netherlands

#### **Contact details**

Diversey Ltd Weston Favell Centre, Northampton NN3 8PD, United Kingdom Tel: 01604 405311, Fax: 01604 406809 Regulatory Email: customerservice.uk@solenis.com

#### 1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible) For medical or environmental emergency only: call 0800 052 0185

# SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Eye irritation, Category 2 (H319)

2.2 Label elements



Signal word: Warning.

Hazard statements: H319 - Causes serious eye irritation.

#### 2.3 Other hazards No other hazards known.

# SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
sodium alkylbenzenesulphonate	290-656-6	90194-45-9		Acute toxicity - Oral, Category 4 (H302) Skin irritation, Category 2 (H315) Serious eye damage, Category 1 (H318)		10-20

Alcohols, C10-16, ethoxylated, sulfated,	[4]	68585-34-2	[4]	Skin irritation, Category 2 (H315)		3-10
sodium salts (3 EO)				Serious eye damage, Category 1 (H318)		
				Chronic aquatic toxicity, Category 3 (H412)		
sodium hydroxide	215-185-5	1310-73-2	01-211945789	Skin corrosion, Category 1A (H314)		0.1-1
_			2-27	Corrosive to metals, Category 1 (H290)		

#### Specific concentration limits

sodium hydroxide:

• Serious eye damage, Category 1 (H318) >= 2% > Eye irritation, Category 2 (H319) >= 0.5%

• Skin corrosion, Category 1A (H314) >= 5% > Skin corrosion, Category 1B (H314) >= 2% > Skin irritation, Category 2 (H315) >= 0.5%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006. For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

# SECTION 4: First aid measures

4.1 Description of first aid measures Inhalation:	Get medical attention or advice if you feel unwell.
	,
Skin contact:	Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.
Eye contact:	Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation occurs and persists, get medical attention.
Ingestion:	Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.
Self-protection of first aider:	Consider personal protective equipment as indicated in subsection 8.2.
4.2 Most important symptoms and effe	ects, both acute and delayed

Inhalation:	No known effects or symptoms in normal us					
Skin contact:	No known effects or symptoms in normal use.					
Eye contact:	Causes severe irritation.					
Ingestion:	No known effects or symptoms in normal use.					

#### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

# SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

#### 5.2 Special hazards arising from the substance or mixture

No special hazards known.

#### 5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

# SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

No special measures required.

#### 6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

#### 6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

#### 6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

## SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Measures to prevent fire and explosions: No special precautions required.

## Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

#### Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash hands before breaks and at the end of workday. Avoid contact with eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

# 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

#### 7.3 Specific end use(s)

No specific advice for end use available.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Ingredient(s)	UK - Long term value(s)	UK - Short term value(s)
sodium hydroxide		2 mg/m <sup>3</sup>

Biological limit values, if available:

#### Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

# **DNEL/DMEL** and **PNEC** values

# Human exposure

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium alkylbenzenesulphonate	-	-	-	0.425
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available	No data available	No data available	No data available
sodium hydroxide	-	-	-	-

#### DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium alkylbenzenesulphonate	No data available	-	No data available	-
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available	No data available	No data available	No data available
sodium hydroxide	2 %	-	-	-

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium alkylbenzenesulphonate	No data available	-	No data available	-
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available	No data available	No data available	No data available
sodium hydroxide	2 %	-	-	-

#### DNEL/DMEL inhalatory exposure - Worker (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium alkylbenzenesulphonate	-	-	-	-
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available	No data available	No data available	No data available
sodium hydroxide	-	-	1	-

#### DNEL/DMEL inhalatory exposure - Consumer (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium alkylbenzenesulphonate	-	-	-	-
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available	No data available	No data available	No data available
sodium hydroxide	-	-	1	-

#### Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
sodium alkylbenzenesulphonate	-	-	-	-
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available	No data available	No data available	No data available
sodium hydroxide	-	-	-	-

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
sodium alkylbenzenesulphonate	-	-	-	-
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available	No data available	No data available	No data available
sodium hydroxide	-	-	-	-

#### 8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Appropriate engineering controls:	No special requirements under normal use conditions.			
Appropriate organisational controls:	Avoid direct contact and/or splashes where possible. Train personnel.			

#### REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
Manual transfer and dilution	AISE_SWED_PW_8a_2	PW	PROC 8a	60	ERC8a
Manual transfer and dilution	AISE_SWED_PW_8b_2	PW	PROC 8b	60	ERC8b

#### Personal protective equipment

Eye / face protection:	Safety glasses are not normally required. However, their use is recommended in those cases where
	splashes may occur when handling the product (EN 16321 / EN 166).
Hand protection:	No special requirements under normal use conditions.
Body protection:	No special requirements under normal use conditions.
Respiratory protection:	No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

Recommended safety measures for handling the <u>diluted</u> product:

Recommended maximum concentration (% w/w): 0.2

Appropriate engineering controls: No special requirements under normal use conditions. Appropriate organisational controls: No special requirements under normal use conditions.

#### REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration	ERC
				(min)	
Manual application	AISE_SWED_PW_19_1	PW	PROC 19	480	ERC8a

Personal protective equipment Eye / face protection: Hand protection: Body protection: Respiratory protection:	No special requirements under normal use conditions. No special requirements under normal use conditions. No special requirements under normal use conditions. No special requirements under normal use conditions.
Environmental exposure controls:	No special requirements under normal use conditions.

# SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid Colour: Clear , Green Odour: Product specific

#### Odour threshold: Not applicable Melting point/freezing point (°C): Not determined Initial boiling point and boiling range (°C): Not determined

Not relevant to classification of this product See substance data

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
sodium alkylbenzenesulphonate	No data available		
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available		
sodium hydroxide	> 990	Method not given	

Flammability (solid, gas): Not applicable to liquids
Flammability (liquid): Not flammable.
Flash point (°C): > 100 °C
Sustained combustion: The product does not sustain combustion (UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

Autoignition temperature: Not determined Decomposition temperature: Not applicable. pH: ≈ 6 (neat) Dilution pH: ≈ 7 (0.2 %) Kinematic viscosity: ≈ 300 mPa.s (20 °C) Solubility in / Miscibility with water: Fully miscible

Substance data, solubility in water

Substance data, boiling point

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
sodium alkylbenzenesulphonate	No data available		
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available		
sodium hydroxide	1000	Method not given	20

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

#### Vapour pressure: Not determined

Substance data, vapour pressure

Ingredient(s)	Value	Method	Temperature
	(Pa)		(°C)
sodium alkylbenzenesulphonate	No data available		
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available		
sodium hydroxide	< 1330	Method not given	20

### Relative density: ≈ 1.03 (20 °C) Relative vapour density: -.

Particle characteristics: No data available.

#### 9.2 Other information

**9.2.1 Information with regard to physical hazard classes Explosive properties:** Not explosive. Vapours may form explosive mixtures with air.

Oxidising properties: Not oxidising. Corrosion to metals: Not corrosive

**9.2.2 Other safety characteristics** No other relevant information available.

# SECTION 10: Stability and reactivity

### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

### 10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

Method / remark

Method / remark

Weight of evidence

closed cup

ISO 4316 ISO 4316

# Method / remark

Weight of evidence

Method / remark See substance data

OECD 109 (EU A.3) Not relevant to classification of this product Not applicable to liquids. No hazardous reactions known under normal storage and use conditions.

#### 10.4 Conditions to avoid

None known under normal storage and use conditions.

#### **10.5 Incompatible materials**

None known under normal use conditions.

#### 10.6 Hazardous decomposition products

None known under normal storage and use conditions.

# **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data: .

# Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Skin irritation and corrosivity<br/>Result: Not corrosive or irritant<br/>Eye irritation and corrosivity<br/>Result: Eye irritant 2SpeMetule

Species: Not applicable Method: Weight of evidence Method: Weight of evidence

Substance data, where relevant and available, are listed below:.

#### Acute toxicity Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Oral (mg/kg)
sodium alkylbenzenesulphonate	LD 50	> 1470	Rat	OECD 401 (EU B.1)		1470
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	LD 50	> 2000	Rat	OECD 401 (EU B.1)		Not established
sodium hydroxide		No data available				Not established

Acute dermal toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	ATE Dermal
		(mg/kg)			time (h)	(mg/kg)
sodium alkylbenzenesulphonate		No data				Not established
		available				
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	LD 50	> 2000	Rat	OECD 402 (EU B.3)		Not established
sodium hydroxide	LD 50	1350	Rabbit	Method not given		Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium alkylbenzenesulphonate		No data available			
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)		No data available			
sodium hydroxide		No data available			

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
sodium alkylbenzenesulphonate	Not established	Not established	Not established	Not established
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	Not established	Not established	Not established	Not established
sodium hydroxide	Not established	Not established	Not established	Not established

#### Irritation and corrosivity

Skin irritation and corrosivity				
Ingredient(s)	Result	Species	Method	Exposure time
sodium alkylbenzenesulphonate	Irritant	Rabbit	OECD 404 (EU B.4)	
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	Irritant	Rabbit	OECD 404 (EU B.4)	
sodium hydroxide	Corrosive	Rabbit	Method not given	

#### Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium alkylbenzenesulphonate	Severe damage	Rabbit	OECD 405 (EU B.5)	
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	Severe damage	Rabbit	OECD 405 (EU B.5)	
sodium hydroxide	Corrosive	Rabbit	Method not given	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium alkylbenzenesulphonate	No data available			
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available			
sodium hydroxide	No data available			

# Sensitisation Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
sodium alkylbenzenesulphonate	Not sensitising	Guinea pig	OECD 406 (EU B.6) /	
			GPMT	
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	Not sensitising	Guinea pig	OECD 406 (EU B.6)	
sodium hydroxide	Not sensitising		Human repeated patch	
			test	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sodium alkylbenzenesulphonate	No data available			
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available			
sodium hydroxide	No data available			

# CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
sodium alkylbenzenesulphonate	No data available		No data available	
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available		No data available	
,	No evidence for mutagenicity, negative test results		No evidence for mutagenicity, negative test results	OECD 474 (EU B.12) OECD 475 (EU B.11)

# Carcinogenicity

Ingredient(s)	Effect
sodium alkylbenzenesulphonate	No data available
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available
sodium hydroxide	No evidence for carcinogenicity, weight-of-evidence

# Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
sodium alkylbenzenesulphonat e			No data available				
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)			No data available				
sodium hydroxide			No data available				No evidence for developmental toxicity No evidence for reproductive toxicity

Repeated dose toxicity Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
sodium alkylbenzenesulphonate		No data				
		available				
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3	NOAEL	No data	Rat	OECD 408 (EU	90	
EO)		available		B.26)		
sodium hydroxide		No data				
		available				

#### Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
		(mg/kg bw/d)			time (days)	affected

sodium alkylbenzenesulphonate	No data available		
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available		
sodium hydroxide	No data available		

#### Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
sodium alkylbenzenesulphonate		No data				
		available				
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3		No data				
EO)		available				
sodium hydroxide		No data				
		available				

#### Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
sodium alkylbenzenesulphonat e			No data available					
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)			No data available					
sodium hydroxide			No data available					

#### STOT-single exposure

Ingredient(s)	Affected organ(s)
sodium alkylbenzenesulphonate	No data available
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available
sodium hydroxide	No data available

#### STOT-repeated exposure

Ingredient(s)	Affected organ(s)
sodium alkylbenzenesulphonate	No data available
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available
sodium hydroxide	No data available

#### Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

#### Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

#### 11.2 Information on other hazards

**11.2.1 Endocrine disrupting properties** Endocrine disrupting properties - Human data, if available:

#### 11.2.2 Other information

No other relevant information available.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data is available on the mixture .

Substance data, where relevant and available, are listed below:

# Aquatic short-term toxicity Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium alkylbenzenesulphonate	LC 50	1.67	Lepomis macrochirus	EPA-OPPTS 850.1075	96
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	LC 50	> 1 - 10	Brachydanio rerio	OECD 203, flow-through	96
sodium hydroxide	LC 50	35	Various species	Method not given	96

#### Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium alkylbenzenesulphonate	EC 50	1.62	Daphnia		48
			magna Straus		
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	EC 50	> 1 - 10	Daphnia	OECD 202, static	48
			magna Straus		
sodium hydroxide	EC 50	40.4	Ceriodaphnia	Method not given	48
			sp.		

#### Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value	Species	Method	Exposure
		(mg/l)			time (h)
sodium alkylbenzenesulphonate	EC 50	29	Selenastrum		96
			capricornutum		
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	EC 50	> 1 - 10		OECD 201, static	72
sodium hydroxide	EC 50	22	Photobacteriu	Method not given	0.25
			m		
			phosphoreum		

#### Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sodium alkylbenzenesulphonate		No data available			
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)		No data available			
sodium hydroxide		No data available			

#### Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sodium alkylbenzenesulphonate		No data			
		available			
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	EC 10	> 10000	Pseudomonas		
			putida		
sodium hydroxide		No data			
		available			

# Aquatic long-term toxicity Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium alkylbenzenesulphonate	NOEC	> 2.5-1		Method not given		
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	NOEC	0.12	Oncorhynchus mykiss	Method not given	28 day(s)	
sodium hydroxide		No data available				

#### Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium alkylbenzenesulphonate		No data available				
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)		No data available				
sodium hydroxide		No data available				

# Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(mg/kg dw sediment)			time (days)	
sodium alkylbenzenesulphonate		No data				
		available				
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3		No data				
EO)		available				
sodium hydroxide		No data				
		available				

**Terrestrial toxicity** Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	
sodium hydroxide		No data available				

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available				

#### Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data				
		available				

# 12.2 Persistence and degradability

#### Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
sodium hydroxide	13 second(s)	Method not given	Rapidly photodegradable	

Abiotic degradation - hydrolysis, if available:

Ingre	dient(s)	Half-life time in fresh water	Method	Evaluation	Remark
sodium	hydroxide	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s)	Туре	Half-life time	Method	Evaluation	Remark
sodium hydroxide		No data available			

Biodegradation Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
sodium alkylbenzenesulphonate	Activated sludge, aerobe	CO <sub>2</sub> production	85% in 29 day(s)	OECD 301B	Readily biodegradable
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	Activated sludge, aerobe	CO <sub>2</sub> production	> 60 % in 28 day(s)	OECD 301B	Readily biodegradable
sodium hydroxide					Not applicable (inorganic substance)

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
sodium hydroxide					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
sodium hydroxide					No data available

#### 12.3 Bioaccumulative potential

F	Partition coefficient n-octanol/water (log Kow)										
	Ingredient(s)	Value	Method	Evaluation	Remark						
ſ	sodium alkylbenzenesulphonate	No data available									

Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available		
sodium hydroxide	No data available	Not relevant, does not bioaccumulate	

Bioconcentration factor (BCF)							
Ingredient(s)	Value	Species	Method	Evaluation	Remark		
sodium	No data available						
alkylbenzenesulphonat							
е							
Alcohols, C10-16,	No data available						
ethoxylated, sulfated,							
sodium salts (3 EO)							
sodium hydroxide	No data available						

#### 12.4 Mobility in soil

Adsorption/Desorption to soil or sediment						
Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation	
sodium alkylbenzenesulphonate	No data available					
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available					
sodium hydroxide	No data available				Mobile in soil	

# 12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

#### 12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

SECTION 13: Disposal considerations

#### 12.7 Other adverse effects

No other adverse effects known.

13.1 Waste treatment methods	The concentrated contents or contaminated packaging should be disposed of by a certified handler
Waste from residues / unused	or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging
products:	material is suitable for energy recovery or recycling in line with local legislation.
European Waste Catalogue:	20 01 29* - detergents containing dangerous substances.
Empty packaging Recommendation: Suitable cleaning agents:	Dispose of observing national or local regulations. Water, if necessary with cleaning agent.

# SECTION 14: Transport information

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods

14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods

14.6 Special precautions for user: Non-dangerous goods

14.7 Maritime transport in bulk according to IMO instruments: Non-dangerous goods

# SECTION 15: Regulatory information

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations :

- Regulation (EC) 1907/2006 REACH (UK amended)

- Regulation (EC) 1907/2006 CLP (UK amended)
  Regulation (EC) 1272/2008 CLP (UK amended)
  Regulation (EC) 648/2004 Detergents regulation (UK amended)
  Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
  Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
  International Maritime Dangerous Goods (IMDG) Code

#### Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

#### Ingredients according to Detergents Regulation

anionic surfactants perfumes, 2-Bromo-2-Nitropropane-1,3-Diol

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents (UK amended). Data to support this assertion are held at the disposal of the competent authorities of the UK and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Comah - classification: Not classified

#### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

#### SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS3344

#### Reason for revision:

Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, This data sheet contains changes from the previous version in section(s):, 1, 2, 3, 4, 6, 8, 9, 11, 12, 13, 16

#### **Classification procedure**

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

#### Abbreviations and acronyms:

- · AISE The international Association for Soaps, Detergents and Maintenance Products
- ATE Acute Toxicity Estimate
- DNEL Derived No Effect Limit EC50 effective concentration, 50%
- · ERC Environmental release categories
- EUH CLP Specific hazard statement
- · LC50 Lethal Concentration, 50% / Median Lethal Concentration
- LCS Life cycle stage
   LD50 Lethal Dose, 50% / Median Lethal dose
- NOAEL No observed adverse effect level
- NOEL No observed effect level
- OECD Organisation for Economic Cooperation and Development
- PBT Persistent, Bioaccumulative and Toxic • PNEC - Predicted No Effect Concentration
- PROC Process categories
- REACH number REACH registration number, without supplier specific part
- · vPvB very Persistent and very Bioaccumulative
- H290 May be corrosive to metals. • H302 - Harmful if swallowed.
- · H314 Causes severe skin burns and eye damage. • H315 - Causes skin irritation.
- H318 Causes serious eye damage.
- H412 Harmful to aquatic life with long lasting effects.

End of Safety Data Sheet

15 - 30 %

Version: 05.4

Revision: 2024-08-07